

AMENDMENTS TO THE CLAIMS

1-11: (Canceled)

12. (Withdrawn) A probe whose nucleotide sequence is complimentary to DNA of HPV, which is selected from the group consisting of SEQ ID NOS: 1 to 19 and complementary sequences thereto.

13. (Withdrawn) A Human Papillomavirus (HPV) genotyping kit which comprises:

- (i) a DNA chip with probes that have nucleotide sequences complementary to DNA of HPV;
- (ii) primers for amplifying DNA obtained from clinical samples by PCR; and,
- (iii) means for labeling amplified DNA hybridized with the probes of the said DNA chip.

14. (Withdrawn) The HPV genotyping kit of claim 13 wherein the probe is at least one selected from the group consisting of SEQ ID NOS: 1 to 19 and complementary sequences thereto.

15. (Withdrawn) The HPV genotyping kit of claim 13 or claim 14 wherein the DNA chip further comprises position markers to locate probes.

16. (Withdrawn) The HPV genotyping kit of claim 13 or claim 14 wherein the primers are selected from the group consisting of GP5+ having SEQ ID NO. 22, GP6+ having SEQ ID NO. 23, GP5d+ having SEQ ID NO. 24 and GP6d+ having SEQ ID NO. 25.

17. (Withdrawn) The HPV genotyping kit of claim 13 or claim 14 wherein the means for labeling is a biotin-binding material.

18. (Withdrawn) The HPV genotyping kit of claim 17 wherein the biotin-binding material is streptavidin-R-phycoerythrin.

19. (Withdrawn) A Human Papillomavirus (HPV) genotyping kit which comprises:

(i) a DNA chip with one or more probes selected from the group consisting of SEQ ID NOS: 1 to 19 and complementary sequences thereto, whose nucleotide sequences are complementary to DNA of HPV;

(ii) primers consisting of GP5+ having SEQ ID NO. 22, GP6+ having SEQ ID NO. 23, GP5d+ having SEQ ID NO. 24 and GP6d+ having SEQ ID NO. 25 for amplifying DNA obtained from clinical samples by PCR; and,

(iii) biotin for labeling amplified DNA hybridized with the probes of the said DNA chip and streptavidin-R-phycoerythrin as a biotin-binding material.

20. (Withdrawn) A process for preparing a DNA chip which comprises the steps of:

(i) preparing 5' terminal amine-linked DNA probes which have nucleotide sequences complementary to DNA of HPV;

(ii) affixing the DNA probes thus prepared to an aldehyde-derivatized surface of solid support; and,

(iii) reducing excessive aldehydes not reacted with amine.

21. (Withdrawn) The process for preparing a DNA chip of claim 20 wherein the probe is at least one selected from the group consisting of SEQ ID NOS: 1 to 19 and complementary sequences thereto.

22. (Withdrawn) The process for preparing a DNA chip of claim 9 wherein the concentration of probes which react with aldehyde-derivatized solid surface ranges from 100 to 300pmol/ μ l.

performing a Schiff's base reaction between the amine and aldehyde groups under an environment of between 30 and 40°C and between 70 and 100% humidity.

35. (Previously presented) The method for diagnosis of HPV infection of claim 32, wherein reducing excessive aldehydes not reacted with amine is performed by the aid of a reducing agent, NaBH_4 .

36. (New) A method for diagnosis of Human Papillomavirus (HPV) infection using a HPV genotyping kit, wherein the HPV genotyping kit comprises: (i) a DNA chip comprising probes having HPV nucleic acid sequences set forth in SEQ ID NOs: 1-19, and complementary sequences thereof; (ii) primers containing a first label for amplifying DNA obtained from clinical samples; and (iii) means for labeling amplified DNA with a second label, wherein the DNA hybridizes with the probes of the DNA chip, which method comprises:

(a) amplifying DNA obtained from clinical samples with the primers of the HPV genotyping kit to obtain amplified DNA containing the first label;

(b) applying the amplified DNA to the DNA chip under conditions which allow hybridization of the amplified DNA to the probes;

(c) applying the second label to the hybridized DNA on the chip, wherein the second label binds to the first label; and

(d) detecting hybridized DNA on the surface of the DNA chip by detecting the second label, wherein detection of the second label indicates the presence of HPV DNA in the sample which corresponds to the HPV probe to which the DNA is hybridized.


37. (New) The method of claim 36, wherein the first label contains biotin and the second label contains streptavidin.

38. (New) The method of claim 36, wherein the biotin-containing label is biotin-16-dUTP and the streptavidin containing label is streptavidin-R-phycoerythrin

In view of the above amendment, applicant believes the pending application is in condition for allowance. Accordingly allowance of all presently pending claims is respectfully requested.

Dated: December 3, 2004

Respectfully submitted,

By 
Stephanie R. Amoroso, Ph.D.

Registration No.: 51,401
DARBY & DARBY P.C.
P.O. Box 5257
New York, New York 10150-5257
(212) 527-7700
(212) 753-6237 (Fax)
Attorneys/Agents For Applicant